CATALOGUS

MATERIAE MEDICAE

CULLEN

C. 1770

19250/P

CULLEN, W

12

Catalogus Medicamentorum

Per G. Cullen Proff

19250/P

CATALOGUS

MATERIÆ MEDICÆ.

c 1770.

WELLCOME
HISTORICAL
MEDICAL
LIBRARY

MEDICAMENTA agunt in

Solida	Simplicia	Nutrientia	I.
		Adstringentia	II.
		Emollientia	III.
	Viva	Stimulantia	IV.
		Sedativa	V.
		Antispasmodica	VI.
Fluida	*Alterantia*	Attenuantia	VII.
		Inspissantia	VIII.
		Demulcentia	IX.
		Antacida	X.
		Antalkalina	XI.
		Antiseptica	XII.
	Evacuantia	Errhina	XIII.
		Sialagoga	XIV.
		Expectorantia	XV.
		Emetica	XVI.
		Cathartica	XVII.
		Diuretica	XVIII.
		Diaphoretica	XIX.
		Menagoga	XX.

N.B. after the letters of the alphabet. The Doctor means a general term to be inserted, as The Fruit. Acidodule. betwixt a – & b. on the other side —
as in the margin

I. NUTRIENTIA.

i. Ex VEGETABILIBUS.

a. *Fruct. acido dulces*

Cerаſa. *Cherry-s*
Mala Armeniaca. *Apricock-s*
Mala Perſica. — *Peach's*
Pruna. — *Prunes*

Mala Hortenſia. *Apples*
Pyra. — *Pears*

Aurantia. *The Oranges, Lemons.*

Fraga. *Strawberries*
Rubi Idæi fructus. *Rasberries*

Uvæ Vitis. *Grapes*
Ribeſia. *Currains*
Uvæ criſpæ. *Gooseberrys*

Uvæ paſſæ. *Raisons (dried Grapes)*
Dactyli. *Dates* } *more astring. & dear than ye Raisins* / *the Tree on which they grow (Palm*
Ficus. *Figs* [illegible] *of much Sweetness, m*[illegible] *very nutritious as ye Dates*

Cucum-

b. Cucurbitae: or Gourd Kind

Cucumeres. Cucumber } the greater coldness liable to ferment. afford little nutriment
Melones. Melon
Pepones. Pompion

c. Esculent: or Oleracea [illegible]

Atriplex. Orache [illegible]
Beta. Beets instead of orache —
Spinacia. Spinache chiefly used for [illegible]

Lactuca Aguina. Lamb Lettuce [illegible]

Braſſica. Cabbage [illegible]
Naſturtium. Cress virtues of the [illegible]

Cichorium. Succory [illegible]
Dens Leonis. Dandelion
Endivia. Endive [illegible]
Lactuca. Lettuces [illegible]
Petroselin [illegible]

Celeri. [illegible] Purslain &c.
[illegible]

Aſparagus. one of ye opening roots

Cinara. { artichoke between herbs & fruit
formerly accounted valuable —
sold as ye pine apples: in Harry 8th

d.

Fungi. Mushroom, 3 kinds. Truffle, morel
& common mushroom — Ra-
[illegible]

e. Radic. Esculent —

Raphanus. Radish, is deprived of its acrimony by boiling

Rapum. Turnips, watery weak food. liable to fla[tulence]

Daucus. Carrot. sweet. mucilage; no sugar obtained. [...] margraves exp[t]

Paſtinaca. more sweet, more mucilage q[t]. of grain'd [...]

Siſarum. Skirret, mucilag, a good pro[t]. of sugar ob[tained]

Scorzonera. } chiefly belong to the class of y[e] semif[...] easy deprived of their acrimony. le[ss]
Tragopogon. } flatulent, less. crescent, more nourish[ing] than the turnips

Battatas. Potatoes, very resp[ect]d, good nourishing foo[d]

Porrum. Leek retain their acrimony longer than onions when boil[ed]

Cepa. Onions more agreeable by y[e] stom: & easy [...]

Allium. Garlic. Becomes mild by boiling, pretty nutrit[ious]

f. Semin. Farinac: & Esculent.

Avena. Oats [...] liable to produce heart[burn]

Hordeum. Barley more weak. nourish[t]. & lighter [...]

Secale. Rice. at least equal with the wheat. [...]

Milium. Millet. [...] small grain [...] nouris[hing]

Triticum. Wheat the most perfect of all the [...]

Oryza. Rice, [...] light [...], very good nouri[shing] more crescent, less [...], more [...]

Mayz. Maiz, of a more firm hard texture, & affords a compact Glassy subs, - nutritious

Fagopyrum. Buck Wheat more [...] than the [...] [...]

Sago.

Sago. *a fine filamentous … very nourishing*

Salep.

Piſa.

Fabæ. *Beans, more nourishing, more flatulent*

Phaſeoli. *French Beans*

Nucis Oleosæ

Amygdala dulcia. *Almonds … other oily subs. can produce …*

Avellana. *Hasel nut*

Cacao.

Caſtanea.

Juglans. *Walnut*

Piſtacia. *Pistachio*

g. *Condimenta*

Olivæ.

h.

Cereviſia. *Ale or fermented Liquors*

Vinum. *Wine*

i. *Condimenta*

Aromata. *such as Cinnamon, mace, Cloves, Ginger …*

Saccharo, Sale vel Aceto condita.

d 2. Ex ANIMALIBUS.

a. Lac Fæminæ. *of Women*

Lac Aſinæ. Asses milk

Equæ. Mares —"—

Vaccæ. Cows —"—

Ovis. Sheeps —"—

Capræ. Goats —"—

b. Mamalia of Lineus. [D. Cullen Chuses ye Quadrup

Bos. — Cow

Ovis. — Sheep

Capra. — Goat

Cervus. — Hart

Lepus. Hare & Rabbit

Sus. Sow

c. Aves

Gallus Gallinaceus. Cock, hen, chicken, capon

Meleagris Gallopavo. Turky

Pavo Criſtatus. Peacock

Tetrao Perdix. Partidges

Coturnix. Quail

Lagopus. Alpine

Tetrix.

Urogallus.

Anseres Linei

Anas domeſtica. common Duck

moſchata. Muscovy Duck

Boſchus major. *wild Duck.*

Querquedula. *Tail*

Anſer domeſticus. *Tame Gooſe*

ferus. *wild Do*

Cygnus. *Swan*

Pelecanus Baſſanus. *Solon gooſe*

Alca torda. *Rasor Bill*

Grallæ Linnei, from their long legs —

Ardea. *Heron or Bittern*

Scolopax. *Woodcock, snipe & Curlew*

Tringa. *Lapwing another species of grey plover*

Charadrius. *Green Plover*

Hœmatopus. *Sea Pye*

Fulica. *The Coot*

Rallus. *Rail or corn crake*

Otis. *Bustard* —

Passeres

Columba. *Pidgeon*

Alauda. *Lark*

Turdus. *Thrush*

Emberiza. *Yellow Hammer*

Nomina Trivialia Piscium

Salmo Salar. *Salmond*

trutta. *Trout, called Trutta fluviatilis*

hucho. *Bull Trout; or Loch Trout*

alpinus. *Charm*

eperlanus. *Spirlin*

Salmo

Salmo thymallus. *a Grayling, or Umber*
Cyprinus barbus. *Barbel*
carpio. *Carp*
gobio. *Gudgeon*
tinca. *Tench*
cæphalus. *Chub*
rutilus. *Roch.* *inhabits the fish ponds of this country only —*
alburnus. *Blaik*
brama. *Bream*
Perca fluviatilis. *Perch*
Gadus æglefinus. *Haddock*
merlangus. *whiting*
morhua. *Ling*
molva, *Cod*
virens. *green Back*
callarias. *Codlin —*
Cyclopterus lumpus. *Lump, Sea owl, cock paddle*
Scomber ſcombrus. *Macrel*
thynnus. *Spanish macrel*
Trigla cuculus. *Gurnard*
Mugil. *Mullet*
Eſox lucius. *Pike*
Clupea harengus. *common Herring*
ſprattus. *Spratt*
encraſicolus. *anchova*
alofa. *Shad.* *(called by willoughby the mother of the Herring —*

Plu

Pleuronectus fleſus. common Fluke
ſolea. Soal Fluke
plateſſa. Plaice
maximus. Turbut
hippogloſſus, Holibut
Ammodytes. Sand-eels
Muræna anguilla. Common eel
conger. conger eel
Anarrhichas.
Squalus
Scanis catnarias
Petromyzon. Lampreel
Raia batis. Skate
Accipenſer Sturio. Sturgion

Amphibia

Insecta

Cancer pagurus. Crab
gammarus. Lobster
ſquilla. Shrimp

Vermes

Sepia loligo. Sleeve fish, Scuttle Fish

Patella vulgata. Limpit or Papshell
Helix pomatia. Garden Snail
Buccinum undatum. wilk, Buckey
Turbo littoreus. Periwinkle, acubines, Blackwilk
Solen Siliqua. Spout, razor sheath
Cardium edule. common cockle

Car-

Cardium echinatum. Pickled Cockle

Venus Chione.

Oſtrea maxima. Scallop or Clam

edulis. Oister

Mytulus edulis. muscle

Volucrum Ova. Eggs of Birds

Ova

II. A D.

II. ADSTRINGENTIA.

1. Ex FOSSIBILIBUS.

Bolus. *Bole*
Cimolia. *Clays*
Oſteocolla.

Alumen. *Allum*
Lapis Hybernicus. *Irish Slate*

Cuprum. *Copper*
Ærugo. *Verdigrease*
Vitriolum cæruleum. *Blue vitriol*

Ferrum. *Iron*
Hæmatites. *Blood stones*
Rubrica fabrilis.
Vitriolum viride. *Green vitriol*

Plumbum. *Lead*
Ceruſſa. *ceruse*
Lithargyrus. *Lytharge*
Minium. *Red Lead*

Zincum. *Zinc*

Cala-

Calaminaris Lapis. *calamine*
Tutia. *Tutty*
Vitriolum Album. *white vitriol*

2. Ex VEGETABILIBUS.

a. *Senticosae according to Linnaeus fragment methodi naturalis.*
h Agrimonia. *Agrimony*
r. h Alchimilla. *Ladys mantle*
Argentina. *Silver weed wild tansie*
Caryophyllata. *Avens*
Fragaria. *Strawberrie*
Quinque ſolium. *Tormentill [illegible]*
Roſa. *Rose*
r Tormentilla. *Tormentill*
b. *Stellata*
Aparine. *Cleavers or goose graſs*
Gallium. *Cheese Renning*
Rubia. *Madder*
c. *Vaginales*
r Acetoſa. *Sorrels*
Hydrolapathum. *water dock*
Oxylapathum. *sharp pointed dock*
Biſtorta. *Bistort or Snakeweed*
Rheum. *Rhubarb, also Rhapontic. [illegible]*
d. *Filices*
Filix florida. *Osmund Royal*

Lingua cervina. *Harts tongue*
Trichomanes. *English Black maiden hair*

Muſcus. *Pixidalus, arboreus, Pulmonarius &c*

e. *Acid austera. or more properly, Acerba*
Cydonea mala. *Quince-tree*
Meſpila. *Medlar*
Mora. *Mulberry tree*
Pruna Sylveſtria. *Sloe, or Black thorn —*
Sorba. *Service tree*
f. *Herba asperifolia & various miscellaneous*
Anchuſa. *Alkanet*
Balauſtia. *Balaustines*
Brunella. *Self-heal*
Hypericum. *St. Johns wort*
Lythrum. ~~[illegible]~~
Millefolium. *Yarrow*
Myrtus. *common Myrtle*
Plantago. *Plantain*
Polygonatum. *Solomons seal*
Sanicula. *Sanicle*
Sedum. *Houss Leek*
Viſcus Quernus. *Missletoe of ye oak*
Urtica. *common stinging nettle*
Uva Urſi. *Bears Grape.*

Cortex

Acacia. succ. gum.
Catechu.
Hypociſtis.
Sanguis Draconis.

Cortex Granatorum.
Fraxini.
Quercus.
Simaroubæ.

Lignum Campechenſe.

Gallæ.

3. *Acida* I. 1. a. XI. 1. 2.
Vina Auſtera.
Amara IV. i.
Sedativa.
Balſamica IV. f.

III. EMOLLIENTIA.

1. Aqua et aquoſa blanda.

2. Ex VEGETABILIBUS.

a.

Althæa.
Malva. IX a

b.

Farinoſa I. i.
Sem. Cannabis.
Cydoneorum.
Fænugræci.
Lini.
Pſyllii.

c.

Atriplex.
Beta.
Bonus Henricus.
Spinacia.

d.

Alſine.
Branca urſina.
Melilotus.
Parietaria.

Saponaria.
Verbaſcum.
Rad. Liliorum alborum.
Cepæ cocta.

c.

Olea preſſa blanda.

3. Ex ANIMALIBUS.

Lac
Butyrum.
Adeps.
Axungia.
Sperma Cæti dictum.

IV. STIMULANTIA.

1. Ex VEGETABILIBUS.

a.

Betonica.
Lavendula.
Stæchas Arabica.
Meliſſa.
Calamintha.
Majorana.
Marum Vulgare.
Origanum.
Dictamnus Creticus
Roſmarinus.

Hyſſopus.
Hedera terreſtris.
Pulegium.

Mentha Sativa.
piperitis.
Nepeta.

Marum Syriacum.

Satureia.

Satureia.
Serpyllum.
Thymus.

Salvia.
Chamædrys.
Scordium.

b.

Ammi.
Amomum.
Anethum.
Angelica.
Aniſum.
Carum.
Coriandrum.
Cuminum.
Daucus Creticus
Fæniculum.
Hippoſelinum.
Leviſticum.
Pimpinella Saxifraga
Seſeli Maſſilienſe.
Siler Montanum.

c.

Alliaria.
Cochlearia.

Eruca.
Eryſimum.
Lepidium.
Naſturtium.
Napum.
Raphanus ruſticanus.
Sinapi.
Thlaſpi.
1. *Alliacia*
Allium.
Cepa.
Porrum.
Conifera
Abies.
Pinus.
Juniperus. *sabina*
Balsamica
Terebinthina.
Balſ. Copaibæ.
Gileadenſe.
Peruvianum.
Tolutanum.
Gum. Guaiacum. *Benzoin*
Myrrha.
Styrax Liquida.

g.

Guaiacum.
Saſſafras.
Santalum.

China.
Contrayerva.
Sarſaparilla.

h.

Cinnamomum.
Caſſia lignea.
Macis.
Nux moſchata.
Caryophylli.
Pimento.

Canella Alba. *Acorus verus*
Cort. Winteranus.
Zinziber.

Piper.
Capſicum.

Cubebæ.
Cardamomum minus.
Grana Paradiſi.

Galan

Galanga.
Zedoaria.
Serpentaria Virg.

Balſamita.
Coſtus orientalis.
Ginſeng.
Lilium convallium.
Malabrathum.
Nardus Celtica.
Indica.
Caſcarilla.

Aſpalathus.
Rhodium.

Benzoinum.
Labdanum.
Styrax calamita.

Abrotanum fæmina.
mas.
Abſinthium Romanum.
vulgare.
Artemiſia.
Carduus benedictus.

Carlina.
Chamæmelum.
Santonicum.
Tanacetum.

Aurantiorum Cortex.
Aurantia Curaſſavenſia.
Limoniorum Cortex.

Centaurium Minus.
Gentiana.

China Chinæ.
Acorus verus.
Chamæpitys. wth the teucrium cha
Marrubium album. wth the verticillat
Dictamnus albus.
Lupulus.
Trifolium paluſtre.

k.

Cichorium.
Dens Leonis.
Endivia.
Lactuca.

Fumaria.

l.

Arum.
Euphorbium.
Imperatoria.
Iris noſtras.
Perſicaria urens.
Pyrethrum.
Sedum minus acre.
Staphiſagria.

m.

Vinum.

n.

Olea eſſentialia.

3. Ex ANIMALIBUS.

Cantharides.
Millepedæ.
Cochinillæ.

4. *Nutrientia.*
Adſtringentia.
Sedativa.
Antiſpaſmodica.
Acida I. 1. a. XI. 1. 2.
Alkalina X. b.
Sales neutri.

V. SEDATIVA.

1.

a.

Papaver.

b.

Cicuta.

Cicuta aquatica.

c. Oenanthe crocata

Belladonna.

Hyoſcyamus.

Mandragora.

Nicotiana. [illegible]

Solanum.

Stramonium.

d.

Lactuca. Padus Laurocerasus

Laurus.

Coffea.

Thea.

Crocus.

Nymphæa.

e.

Vinum.

Alcohol.

2. *Acida* I. 1. a. XI. 1. 2.
Sales neutri.
Emollientia.
Adſtringentia.
Antiſpaſmodica.

VI. AN-

VI. ANTISPASMODICA.

1. Ex FOSSILIBUS.

Ambragriſea.
Succinum.
Petroleum.

2. Ex VEGETABILIBUS.

a.

Ariſtolochia.
Artemiſia.
Atriplex olida.
Cardiaca.
Cuminum.
Leviſticum.
Meum.
Matricaria.
Pulegium.
Ruta.
Sabina.

b.

Aſa fætida.
Ammoniacum.
Galbanum.
Opopanax.

Sagapenum.
Tacamahaca.

Camphora. Camphor from [illegible]

Caſſumuniar.
Pæonia.
Valeriana ſylveſtris.

Fuligo ligni.

Olea eſſentialia.
empyreumatica.

g.
Alcohol.
Liquor Æthereus.

Ex ANIMALIBUS.

Moſchus.
Zibethum.

Caſtoreum.

Sales alkalini volatiles.

Olea

Olea empyreumatica,

4. *Adſtringentia.*

Emollientia.

Demulcentia.

Stimulantia.

Sedativa.

VII. ATTENUANTIA.

Aqua.
Alkalina X. b.
Sales neutri.
Sapones.
Dulcia IX. c.
Nutrientia 1. a. b. c. d.
Emollientia 2. c. d.

VIII. INSPISSANTIA.

Acida XI. 2.
Alcohol.
Nutrientia 1. e. f. 2. b. *&c.*
Adſtringentia.
Demulcentia a. b. d.

IX. DEMULCENTIA.

a.

Conſolida major.
Cynogloſſum.
Pulmonaria.

b.

Sem. Cucurbitæ.
Citrulli.
Cucumeris.
Melonis.

Papaveris.

c.

Saccharum.
Mel.
Uvæ paſſæ.
Dactyli.
Ficus.
Cynoſbatos.
Glycyrrhiza.

Gum. Arabicum.
Ceraſorum.
Senega.
Tragacantha.

Amylum.
Ichthyocolla.

e.

Nutrientia.
Emollientia.
Sedativa.

X. ANTACIDA.

a.

Calcarius lapis.
Creta.
Oſteocolla.

Cancrorum chelæ.
oculi dicti.
Cervi Cornu uſtum.
Corallina.
Corallium rubrum.
Lapis Bezoar orientalis.
Margaritæ.
Ovorum teſtæ.
Oſtreorum teſtæ.
Sepiæ os.

Alkali fixum vegetabile.
foſſile.
Calx Viva.
Alkali volatile.

Borax.
Tartarus Solubilis.

Sapo.

Sapo.

d.

Stimulantia.

Sedativa.

Antiſpaſmodica.

Demulcentia.

XI. ANTALKALINA.

Acetoſa.
Acetoſella. seu Lujula Oxalis acetosella
Berberis.
Ribeſia.
Tamarindi.
Succus Aurantiorum.
Limoniorum.

Vinum.
Acidum vegetabile.
muriaticum.
nitroſum.
vitriolicum.
Sal Sedativum.
Succini.
Nutrientia a. b. c. d. e. g.
Adſtringentia a. c.
Demulcentia.

XII. ANTISEPTICA.

Acida I. a. II. e. XI. 1. 2.
Alkalina X. b.
Sales neutri.
metallici.
terreſtres.
Olea eſſentialia.
empyreumatica.
Vinum.
Alcohol.
Nutrientia 1.
Adſtringentia.
Stimulantia.
Sedativa.
Antiſpaſmodica.

XIII. E R R H I N A.

Beta.
Betonica.
Majorana.

Aſarum.
Euphorbium.
Helleborus albus.
Iris noſtras.
Nicotiana.
Ptarmica.
Pyrethrum.

Turbith minerale.

XIV. SIALAGOGA.

Angelica.
Caryophylli.
Imperatoria.
Nicotiana.
Piper.
Pyrethrum.

Hydrargyrus.

XV. EXPECTORANTIA.

Hedera terreſtris.
Hyſſopus.
Marr bium.
Pulegium.
Enula campana.
Iris Florentina.
Nicotiana.
Scilla.
Petaſites.
Tuſſilago.
Benzoinum.
Styrax calamita.
Pix liquida.
Sapo.
Stimulantia b. c. d. f.
Antiſpaſmodica 2. b.
Demulcentia c.

XVI. EMETICA.

1. Ex FOSSILIBUS.

Cuprum.
Hydrargyrus.
Antimonium.
Zincum.

2. Ex VEGETABILIBUS.

Aſarum.
Erigerum.
Ipecacuanha. Triosteum Ph. M. litter:
Nicotiana.
Scilla.
Sinapi.
Raphanus ruſticanus.
Amara IV. i.
Cathartica.

XVII. CATHARTICA.

Fructus acido-dulces I. 1. a.
Pruna Brignolenſia.
Gallica.
Caſſia fiſtularis.
Tamarindi.

Saccharum.
Mel.
Manna.

Aqua.
Serum Lactis.
Lac ebutyratum.

Olera blanda I. 1. c. d.

Olea blanda ex Vegetabilibus et Animalibus.
Sapo albus Hiſpanus.
Roſæ Damaſcenæ.
Viola.
Polypodium.
Sinapi.

Sulphur.

Amara IV. i. k. VI. 1. a.
Bilis Animalium.
Balſamica IV. f.

Tartarus.
Alkalina fixa.
Sales neutri.
Magneſia alba.

Antiſpaſmodica 2. b.
Aloe.
Agaricus.
Rhabarbarum.
Seneka.
Geniſta.
Senna.
Helleborus niger.
Mechoacanna.
Turpethum.
Jalapium.
Scammonium.
Soldanella.
Arthanita. – Cyclamen europaeum.

Ebulu

Ebulus.
Sambucus.
Rhamni baccæ.
Frangulæ cortex.
Linum Catharticum.
Chelidonium majus. × vix recenseri meretur inter purgantes
Gambogia.
Mercurialis. × inter emollientia
Ricinus.
Gratiola.
Nicotiana.
Helleborus albus.
Colocynthis.
Cucumis aſininus. Elaterium
Elaterium.

Aurum.
Argentum.
Hydrargyrus.
Antimonium.

Emetica.

XVIII. DIURETICA.

a.

Apium.
Petroſelinum.
Chærefolium.
Daucus Sylveſtris.
Fœniculum.
Meum.
Pimpinella Saxiſraga.
Siler montanum.
Eryngium.

b.

Aparine.
Aſperula.
Rubia.

c.

Alkekengi.
Arnica.
Arum.
Aſarum.
Aſparagus.
Abſinthium.
Carduus benedictus.
Bardana.

Dulcamara.
Ænula.
Geniſta.
Gramen.
Linaria.
Lithoſpermum.
Ononis.
Pareira brava. Smilax nota Cissampelos Ph
Perſicaria urens.
Ruta.
Sabina.
Saxifraga alba.
Seneka.
Scilla.

Acida I. 1. a. XI. 1. 2.
Alkalina X. b.
Sales neutri.
Antacida a.
Sal Ammoniacum fixum.
Sapo.
Olera I. 1. c. e.
Emollientia 1. 2. c. d.
Stimulantia 1. b. c. d. e. f. k. 2.

XIX. DIAPHORETICA.

Angelica.
Calendula.
Crocus.
Dulcamara.
Opium.
Ambragriſea.
Moſchus.
Zibethum.
Camphora.
China.
Contrayerva.
Serpentaria Virg.
Guaiacum.
Saſſafras.
Sarſaparilla.
Seneka.
Salvia.
Scordium.

Antimonium.
Hydrargyrus.

Aqua.

Vinum.
Acida Vegetabilia.
Alkali volatile.
Sales neutri.
Olea Eſſentialia.
        Empyreumatica.
Stimulantia.
Sedativa.
Antiſpaſmodica.
Antacida a.
Emetica.
Cathartica.
Diuretica.

XX. MENAGOGA.

Aloe.
Caſtoreum.
Crocus.
Ferrum.
Hydrargyrus.
Stimulantia.
Antiſpaſmodica 1. 2. a. b.
Emetica.
Cathartica.
Diuretica.

J. Home